

# GLITE VOMS SERVER AND ADMINISTRATION TOOLS (ORACLE)

## 1. RELEASE DESCRIPTION

This release contains the ORACLE version of the gLite VOMS Server and Administration Tools module v. 2.2.0. The following sections provide additional information about the release content, the module dependencies, the known bugs and issues and a list of bugs closed since the previous release. For information about installing and using the gLite VOMS Server and Administration Tools, please refer to the gLite Installation and User Guides.

## 2. CHANGES IN THIS RELEASE

### 2.1. CHANGES IN FUNCTIONALITY

- No detailed information has been communicated about the changes in the VOMS Server functionality.
- The version of VOMS Admin is the same as in gLite 1.4
- Use new VO configuration model

### 2.2. NEW CONFIGURATION PARAMETERS

The following new parameters have been added to the glite-voms-server.cfg.xml file:

| Parameter name                        | Default value                    | Description  |
|---------------------------------------|----------------------------------|--|
| voms.db.oracle.instantclient.location | /usr/lib/oracle/10.1.0.3/client/ | Location of the Oracle Instantclient installation.<br>[Example:<br>/usr/lib/oracle/10.1.0.3/client/]<br>[Type: 'string'] |

All parameters used to set VO-specific values have been removed from the service configuration files and moved to a dedicated VO configuration file called vo-list.cfg.xml. A template is available in /opt/glite/etc/config/templates. This file is common to all gLite services running on this node or referenced in the same site-config file (unless locally overridden). For more information please refer to the gLite 1.5 installation guide. The VOMS instances are generated from iterating on all the VOs defined in the vo-list.cfg.xml file.

The R-GMA Service Publisher (aka R-GMA servicetool) parameters are now automatically handled by the configuration script and do not need to be explicitly set anymore in the configuration file. The parameters can be set in the configuration file to override the default values.

## 3. RELEASE CONTENTS

### 3.1. GLITE SUB-DEPLOYMENT MODULES

The gLite VOMS Server for Oracle module installs/uses the following set of gLite deployment modules:

- glite-voms-server-oracle
- glite-rgma-servicetool
- glite-security-utils

Please see the corresponding release notes of these modules for details.

## 3.2. GLITE RPMS

The gLite VOMS Server for Oracle module is composed of the following gLite components (list includes the gLite components of the other used gLite deployment modules listed in section 3.1):

| Component name                      | Description  | Version | File  |
|-------------------------------------|--|---------|---|
| glite-config                        | gLITE configuration scripts  | 1.6.22  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-config-1.6.22-2.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-config-1.6.22-2.noarch.rpm</a>   |
| glite-rgma-servicetool-config       | gLITE R-GMA servicetool installation   | 5.2.2   | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-rgma-servicetool-config-5.2.2-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-rgma-servicetool-config-5.2.2-1.noarch.rpm</a>             |
| glite-security-trustmanager         | The java certificate path checkin for proxy certs in SSL with plugins for tomcat and axis. | 1.8.2   | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-trustmanager-1.8.2-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-trustmanager-1.8.2-1.noarch.rpm</a>                 |
| glite-security-util-java            | The java utilities library for security  | 1.3.0   | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-util-java-1.3.0-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-util-java-1.3.0-1.noarch.rpm</a>                       |
| glite-security-utils-config         | gLITE Security Utilities configuration files   | 1.2.1   | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-utils-config-1.2.1-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-utils-config-1.2.1-1.noarch.rpm</a>                 |
| glite-security-voms-admin-client    | gLITE VOMS Administration clients  | 1.2.10  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-admin-client-1.2.10-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-admin-client-1.2.10-1.noarch.rpm</a>     |
| glite-security-voms-admin-interface | gLITE VOMS Administration service (interface)  | 1.0.2   | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-admin-interface-1.0.2-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-admin-interface-1.0.2-1.noarch.rpm</a> |
| glite-security-voms-admin-server    | gLITE VOMS Administration service  | 1.2.10  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-admin-server-1.2.10-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-admin-server-1.2.10-1.noarch.rpm</a>     |
| glite-security-voms-api             |  | 1.6.10  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-api-1.6.10-0.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-api-1.6.10-0.noarch.rpm</a>                       |
| glite-security-voms-api-c           |  | 1.6.10  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-api-c-1.6.10-0.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-api-c-1.6.10-0.noarch.rpm</a>                   |
| glite-security-voms-api-cpp         |  | 1.6.10  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-api-cpp-1.6.10-0.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-api-cpp-1.6.10-0.noarch.rpm</a>               |
| glite-security-voms-clients         |  | 1.6.10  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-clients-1.6.10-0.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-clients-1.6.10-0.noarch.rpm</a>               |
| glite-security-voms-config          |  | 1.6.10  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-config-1.6.10-0.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-config-1.6.10-0.noarch.rpm</a>                 |
| glite-security-voms-oracle          |  | 1.1.4   | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-oracle-1.1.4-0.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-oracle-1.1.4-0.noarch.rpm</a>                   |
| glite-security-voms-server          |  | 1.6.10  | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-server-1.6.10-0.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-security-voms-server-1.6.10-0.noarch.rpm</a>                 |
| glite-voms-server-oracle-config     | VOMS Server for Oracle installation files  | 2.2.0   | <a href="http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-voms-server-oracle-config-2.2.0-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.5/R20051130/bin/rhel30/noarch/RPMS/glite-voms-server-oracle-config-2.2.0-1.noarch.rpm</a>         |

## 4. DEPENDENCIES

The gLite VOMS Server for Oracle module has the following dependencies:

| Component name | Description | Version | File |
|----------------|-------------|---------|------|
|----------------|-------------|---------|------|



# Release Notes

Doc. Identifier:

release\_notes.doc

Date: 20/01/2006

|                       |   |             |   |
|-----------------------|---|-------------|---|
| gpt                   | The Grid Packaging Toolkit (GPT)                      | VDT1.2.2rh9 | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/gpt-VDT1.2.2rh9-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/gpt-VDT1.2.2rh9-1.noarch.rpm</a>                                     |
| j2re                  | Java JRE  | 1.4.2       | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/j2re-1.4.2-08-linux-i586.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/j2re-1.4.2-08-linux-i586.rpm</a>                                     |
| perl-Authen-SASL      | Interface to SASL                                     | 2.08        | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Authen-SASL-2.08-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Authen-SASL-2.08-1.1.el3.rf.noarch.rpm</a>       |
| perl-Crypt-SSLeay     | Crypt   | 0.51        | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Crypt-SSLeay-0.51-4.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Crypt-SSLeay-0.51-4.noarch.rpm</a>                       |
| perl-Digest-HMAC      | Digest-HMAC Perl module                               | 1.01        | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Digest-HMAC-1.01-11.1.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Digest-HMAC-1.01-11.1.noarch.rpm</a>                   |
| perl-Digest-SHA1      | Digest-SHA1 Perl module                               | 2.01        | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Digest-SHA1-2.01-15.1.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Digest-SHA1-2.01-15.1.noarch.rpm</a>                   |
| perl-MIME-Lite        | Simple standalone module for generating MIME messages | 2.117       | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-MIME-Lite-2.117-2.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-MIME-Lite-2.117-2.1.el3.rf.noarch.rpm</a>         |
| perl-Net-Jabber       | Jabber protocol interface                             | 2.0         | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Net-Jabber-2.0-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Net-Jabber-2.0-1.1.el3.rf.noarch.rpm</a>           |
| perl-Net-XMPP         | XMPP Perl Library                                     | 1.0         | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Net-XMPP-1.0-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-Net-XMPP-1.0-1.1.el3.rf.noarch.rpm</a>               |
| perl-SOAP-Lite        | Interface to SOAP                                     | 0.60a       | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-SOAP-Lite-0.60a-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-SOAP-Lite-0.60a-1.1.el3.rf.noarch.rpm</a>         |
| perl-XML-Stream       | XML Stream connection support                         | 1.22        | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-XML-Stream-1.22-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/perl-XML-Stream-1.22-1.1.el3.rf.noarch.rpm</a>         |
| tomcat5               | Tomcat application server                             | 5.0.28      | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/tomcat5-5.0.28-11_EGEE.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/tomcat5-5.0.28-11_EGEE.noarch.rpm</a>                           |
| vdt_globus_essentials | Virtual Data Toolkit                                  | VDT1.2.2rh9 | <a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/vdt_globus_essentials-VDT1.2.2rh9-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel30/RPMS/vdt_globus_essentials-VDT1.2.2rh9-1.noarch.rpm</a> |

## 5. KNOWN BUGS AND ISSUES

This release has the following bugs and issues. Bug numbers refer to the gLite Bug Tracking system database hosted on the CERN Savannah system at <https://savannah.cern.ch/bugs/?group=jra1mdw> .

### 5.1. MAIN ISSUES

- VOMS reconnects to the Oracle database for each SQL query.  
The VOMS server creates a new connection to the Oracle database for each and every SQL query. The standard practice is to use a connection pool
- VOMS Admin application update for a VO is not possible.  
voms-admin-configure doesn't allow the possibility to update parameters of a VO (e.g. the port) once the VO has been created. For the moment the only possibility is to remove a VO, change the values and create it again.
- VOMS Admin fails to boot and locks down the Tomcat instance.  
For some reason VOMS Admin 1.2.10 sometimes gets stuck in the boot process, while starting up the request scheduler. If this happens, the failed VOMS Admin instance locks down the entire Tomcat process, which is a critical issue as it prevents other services in the same process from working.
- BLOB handling is broken in VOMS Admin.
- Very bad tomcat performance affecting voms/vomrs access and gridmap file generation due to issues in VOMS Admin

### 5.2. KNOWN OPEN BUGS

| Bug number | Description   |  |
|------------|---|--|
| #7164      | glite-voms-init still uses deprecated -hours option |  |
| #7634      | VOMS ldap synch and signing policies                |  |

|        |  |
|--------|--|
| #7662  | references to EDG license in voms  |
| #7663  | edg licence in voms-admin  |
| #8021  | VOMS test script doesn't tell you the progress when in the mass voms-proxy-* fase.                       |
| #8582  | voms webui: Couldn't find the configuration file.  |
| #9089  | Problems assigning VOMS roles  |
| #9151  | voms-admin doesn't send notification to admins   |
| #9173  | [VOMS Admin] VOMS must be in gLite location  |
| #9178  | voms/vomrs tomcat5 dies out of memory  |
| #9302  | VOMS-admin Welcome page  |
| #9339  | VOMS Admin: Host cert information is outdated  |
| #9340  | VOMS Admin: Host cert must be easily downloadable from the web interface                                 |
| #9560  | [VOMS Admin] Implement user privilege summary page   |
| #9562  | [VOMS Admin] Don't list operations that the user will not be able to execute                             |
| #9577  | VOMSValidator throws exception if directory /etc/grid-security/vomsdir/ does not exist                   |
| #10037 | VOMS Admin needs to have a mailinglist functionality   |
| #10050 | VOMS installation does not allow to install from an existing VOMS setup                                  |
| #10072 | no tool to migrate VOMS db content from MySQL to Oracle  |
| #10296 | [VOMS]certificate registration command does not pick up CA URI   |
| #10386 | voms-admin-configure prints out wrong mysql port in help   |
| #10399 | glite-mkgridmap truncates gridmap file, when VOMS server is down   |
| #10431 | VOMS admin and VOMS need to be harmonized  |
| #10433 | voms-admin-configure help is incorrect   |
| #10434 | voms server update for a vo not possible   |
| #10702 | VOMS connecting to database twice  |
| #10729 | VOMS API should return clean FQAN  |
| #10761 | [VOMS] Empty error message when doing vom-proxy-init with invalid line in vomses-file                    |
| #10785 | [VOMS] missing implicit permissions on VOMS admin interface  |
| #10846 | [VOMS] Must specify alternate port and socket for MySQL  |
| #10927 | [VOMS Admin] problems with the removeMember SOAP method  |
| #10970 | VOMS Admin: getGridmapUsers function doesn't work because of endless wait for a DB connection            |
| #11222 | [VOMS] gLite autoconf checks use underscore instead of dash  |
| #11223 | [VOMS] configure checks for MySQL in incorrect sequence  |
| #11227 | [VOMS] VOMS 1.6.7 fails to build on RedHat 7.2   |
| #12168 | [VOMS Admin] Doesn't work well with an empty DBA password  |
| #12197 | No real user guide for VOMS  |
| #12223 | glite-voms-server-configure.py doesn't configure /opt/glite/etc/voms/[VOname]                            |
| #12224 | /opt/glite/etc/voms/[VOname]/voms.conf files are created with the wrong dbname                           |
| #12513 | voms client man pages still refer to edg   |
| #12613 | VOMS reconnects to the Oracle database for each SQL query  |
| #13356 | [VOMS] init script uses bad ps command   |
| #13370 | [VOMS] VOMS Oracle server is not started when oracle clients RPMs are missing                            |
| #13592 | [VOMS admin] Error when displaying the list of all VO requests   |
| #13627 | [ VOMS Admin ] Menu fails to display options   |
| #13659 | org.glite.security.voms needs PIC in order to build on IA64  |
| #13675 | voms-proxy-init doesn't complain about wrong parameters or junk in the command line, just silently fails |
| #13684 | VOMS Admin Incorrect copyright notice  |
| #13726 | VOMS does not put all the groups the user has into the AC  |
| #13730 | java voms parser swallows the the VO root group from the voms AC   |
| #13851 | [VOMS] voms-proxy-init runs only once on RHEL3/AMD64   |
| #13863 | VOMS Admin fails to boot and locks down the Tomcat instance  |
| #13866 | LCAS voms plugin should check that first voms fqan in proxy is authorized                                |
| #13867 | voms shall use pure SSL  |

|        |   |
|--------|---|
| #13888 | VOMS Admin: Internal database inconsistency detected: Got more roles than expected for user "<my DN>" |
| #13891 | VOMS Admin rejects numerical configuration parameters with extra whitespace appended                  |
| #14009 | [VOMS] not all groups are returned  |
| #14021 | BLOB handling is still broken in VOMS Admin.  |
| #14026 | VOMS clients to be configured with the trusted certificate subjects, not the whole certificate        |
| #14057 | very bad tomcat performance affecting voms/vomrs access and gridmap file generation                   |
| #14193 | [ VOMS Admin ] grid-mapfile generation doesn't work   |
| #14195 | [VOMS Admin] "List all VOs on this server" link doesn't work  |
| #14207 | JobRepository: Without VOMS, no Unix UID and Unix GID bindings were logged                            |
| #14227 | [VOMS Admin] Incorrect use of VOMS_LOCATION and VOMS_LOCATION_VAR                                     |
| #14393 | ClassCastException in VomsServicePDP  |
| #14399 | VOMS Admin: Tomcat signals Out Of Memory messages, all VOMS Admin instances are non-functional        |

### 5.3. FIXED IN THIS OR PREVIOUS RELEASES, BUT NOT YET FULLY TESTED

| Bug number | Description   |
|------------|---|
| #4119      | [VOMS] The VO user policy/licensing is not shown perhaps not installed                                |
| #4540      | [VOMS] Can't assign roles to users  |
| #4637      | VOMS API should offer a simpler way of processing the VOMS attribute certs                            |
| #5166      | [VOMS Admin] Couldn't handle the Russian CA issued personal certificates                              |
| #5360      | edg-voms creates logfile with exotic mode   |
| #5362      | edg-voms run as a non-privileged user   |
| #6678      | VOMS>Contact() crashes  |
| #6943      | If the user issuing voms-proxy-init is not a member of the specified VO, confusing error is returned. |
| #7047      | VOMS_Retrieve() segfaults if VERIFY_DATE is set and the proxy has expired                             |
| #7048      | VOMS: there is no easy way for an application to retrieve the info from the proxy cert                |
| #7311      | voms build does not use expat.location from the repository  |
| #7511      | VOMS_FindByVO() doesn't work without user's local configuration                                       |
| #7660      | hard-wired defaults in voms_install_db  |
| #7665      | rvoms-admin-configure as pm post install script   |
| #7890      | VOMS attribute validation fails in java VOMS parser   |
| #7905      | Support for GLOBUS_FLAVORS needed by broker missing in VOMS.  |
| #8012      | glite-security-voms-admin-server installed before tomcat user exists.                                 |
| #8295      | Welcome to VOMS! doesn't tell you the VO name   |
| #8357      | org.glite.security.voms/src/configure.in bug when checking for GLOBUS_FLAVORS                         |
| #8603      | VOMS (core) service can't restart after crash when log file is at 2GB.                                |
| #8867      | memory leak in lcmmaps voms group plugins   |
| #9168      | [VOMS Admin] --fileinstall switch to voms-admin-configure fails                                       |
| #9170      | [VOMS Admin] --fileinstall still requires valid MySQL location  |
| #9408      | VOMS Admin spits internal database inconsistency faults on getGridmapUsers                            |
| #9799      | [VOMS] The edg-voms process loops on accept() when the port number is unavailable                     |
| #9800      | [VOMS] The edg-voms process truncates the log file on startup   |
| #10025     | VOMS: voms-server-conf.py error   |
| #10069     | VOMS administration webservice removes user from VO instead of group                                  |
| #10253     | VOMS (core) service rejects connection because of not able to write to logfile                        |
| #10313     | VOMS new user - invalid email   |
| #10422     | VOMS client lib./MyProxy: Globus deallocation problem   |
| #10432     | voms_install_db has no help function  |

|        |   |
|--------|---|
| #10459 | glite-security-voms-oracle should not depend on oracle rpms   |
| #10581 | VOMS: problems compiling on debian                            |
| #10678 | [VOMS]glite-voms-server-config.py fails with several switches |
| #10680 | Implement a workaround for wrong DN in VOMS ACs               |
| #10682 | Man pages missing from separate voms rpms                     |
| #10805 | [VOMS] Failed checks for Expat in configure                   |
| #10894 | VOMS server puts a wrong DN into the AC holder field          |

## 5.4. BUGS CLOSED SINCE LAST RELEASE

This release fixes the following bugs and issues. Bug numbers refer to the gLite Bug Tracking system database hosted on the CERN Savannah system at <https://savannah.cern.ch/bugs/?group=jralmdw>

| Bug number | Description   |
|------------|---|
| #3887      | VOMS and user name assignment   |
| #5356      | unnecessary file org.glite.security.voms/src/include/config.h.in                            |
| #5357      | ambiguous error message in edg-voms   |
| #6612      | voms-admin requires following patch on voms core  |
| #7193      | [VOMS Admin] The mechanism for getting notification addresses for admin users does not work |
| #8036      | VOMS server upgrade fails due to conflicts  |
| #9049      | Mail from VOMS refers to edg  |
| #9077      | voms-proxy-init man page should include role syntax   |
| #9171      | [VOMS Admin] Tomcat group check too restrictive   |
| #9172      | [VOMS Admin] Allow for alternate invocation methods for MySQL                               |
| #9218      | [VOMS Admin] voms-admin fails with SSL and non-standard certificate dir                     |
| #9576      | VOMS fails to verify VOMS server certificate the first time after a VOMS_Init               |
| #9795      | VOMS deployment script downloads old CA certs version                                       |
| #9804      | VOMS deploy script: no check on empty parameters  |
| #10051     | VOMS installation doesn't allow to enter a SMTP host in the XML file anymore                |
| #10163     | No way to have voms core restarting after machine reboot                                    |
| #10363     | voms-admin script sets file permissions incorrectly   |
| #10383     | voms-admin-install handles command line options incorrectly                                 |
| #10423     | [VOMS] glite-voms-server.cfg.xml should offer to specify authentication params for smtp     |
| #10728     | Java VOMS class should return clean FQAN  |
| #10813     | [VOMS] Oracle Error on confirm registration request   |
| #10827     | voms-proxy-init crashes because of proxy-format error                                       |
| #10839     | VOMS: 4Suite, CA list., perl-libxml, rgma-servicetool-config and other missing dependencies |
| #11092     | [VOMS] KCA-signed certificates not handled properly   |
| #11464     | VOMS (core) fails on getting host cert through X509_USER_[KEY CERT]                         |
| #11513     | VOMS Admin: Missing slash when adding a user to a (sub)group with a role                    |
| #12150     | [ VOMS ] Problems when starting the service   |
| #12166     | [VOMS Admin] Fails to support non-standard MySQL ports                                      |
| #12167     | [VOMS Admin] Uses old name of MySQL driver class  |
| #12169     | [VOMS Admin] New options incorrectly specified  |
| #12170     | [VOMS Admin] voms-admin-configure POD gives incorrect default MySQL port                    |
| #12632     | malloc/free errors in VOMS C/C++ api  |
| #14275     | [VOMS Admin] The Request Handling menu is invisible   |